
# MISSISSIPPI STATE DEPARTMENT OF HEALTH2013 JUN 17 AM 8: 39 BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION FORM CALENDAR YEAR 2012 T+ CALENDAR YEAR 2012

TTAWAMAN WATER ASSOCIATION
Public Water Supply Name

Northeast

|  | List PWS ID #s for all Community Water S  | vetome included in this COD   |
|--|---|---|
| The<br>Con<br>syst<br>cust<br>of e<br>chec | e Federal Safe Drinking Water Act (SDWA) requires each Commisumer Confidence Report (CCR) to its customers each year. Detem, this CCR must be mailed or delivered to the customers, published tomers upon request. Make sure you follow the proper procedures velectronic delivery, we request you mail or fax a hard copy of the ck all boxes that apply.                | unity public water system to develop and distribute a pending on the population served by the public water in a newspaper of local circulation, or provided to the when distributing the CCR. Since this is the first year the CCR and Certification Form to MSDH. Please |
| .₩   | Customers were informed of availability of CCR by: (Attack  | copy of publication, water bill or other)   |
|  | Advertisement in local paper (attach copy of On water bills (attach copy of bill)  Email message (MUST Email the message Other  | of advertisement) to the address below)   |
|  | Date(s) customers were informed: 6/12/13, /   | 1 , 1   |
|  | CCR was distributed by U.S. Postal Service or other dimethods used  |   |
|  | Date Mailed/Distributed://  |   |
| 0  | CCR was distributed by Email (MUST Email MSDH a copy  As a URL (Provide URL  As an attachment  As text within the body of the email message   | Date Emailed: / / /   |
| X  | CCR was published in local newspaper. (Attach copy of publ  |   |
| /\   | Name of Newspaper: the Itawamba Coun  | tu times  |
|  | Date Published: 6 1/2 1/3   |   |
|  | CCR was posted in public places. (Attach list of locations)   | Date Posted: / /  |
|  | CCR was posted on a publicly accessible internet site at the fo   | ·   |
| I here public the SI the w Depar           | FIFICATION  by certify that the 2012 Consumer Confidence Report (CC or water system in the form and manner identified above at DWA. I further certify that the information included in this water quality monitoring data provided to the public was runent of Health, Bureau of Public Water Supply.  The Commod of the Manager of Title (President, Mayor, Owner, etc.) | CCR is true and correct and is consistent with  |
| Bureau<br>P.O. Bo                          | r or send via U.S. Postal Service:<br>u of Public Water Supply<br>ox 1700<br>n, MS 39215  | May be faxed to:<br>(601)576-7800<br>May be emailed to:   |

May be emailed to: Melanie, Yanklowski@msdh.state.ms.us



#### 2012 Annual Drinking Water Quality Report North East Itawamba Water Association PWS#: 0290016 & 0290017 May 2013

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to providing you with information because informed customers are our best allies. Our water source is from wells drawing from the Gordo Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the North East Itawamba Water Association have received lower to moderate rankings in terms of susceptibility to contamination.

If you have any questions about this report or concerning your water utility, please contact Doug Thomas at 662.790.4346. We want our valued customers to be informed about their water utility. If you want to learn more, please join us at any of our regularly scheduled meetings. They are held on the second Monday bi-monthly at 7:00 PM at the Salem Community Center.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2012. In cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants,

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

| Contaminant                  | Violation<br>Y/N | Date<br>Collected | Level<br>Detected | Range of De<br># of Sam<br>Exceedi<br>MCL/ACL/M | oles<br>ng | Unit<br>Measure<br>-ment | MCL<br>G | MCL     | Likely Source of Contamination   |
|------------------------------|------------------|-------------------|-------------------|---|------------|--------------------------|----------|---------|--|
| Inorganic                    | Contarr          | ninants           |                   |   |            |                          |          |         |  |
| 10. Barium                   | N                | 2012              | .004              | No Range  | ppm        |                          | 2        |         | Discharge of drilling wastes;<br>discharge from metal refineries;<br>erosion of natural deposits       |
| 14. Copper                   | N                | 2009/11*          | .1                | 0   | ppm        |                          | 1.3      | AL=1.3  | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| 19. Nitrate (as<br>Nitrogen) | N                | 2012              | .2                | No Range  | ppm        |                          | 10       | 10      | Runoff from fertilizer use; leaching from septic tanks, sewage; erosior of natural deposits            |
| Disinfection                 | on By-Pr         | oducts            |                   |   |            |                          |          |         |  |
| Chlorine                     | N                | 2012              | 60 .4             | 1 1.2   | mg/l       |                          | 0 MF     | RDL = 4 | Water additive used to control microbes  |

| PWSID#      | TEST RESULTS     |                   |                   |  |             |                     |      |     |                          |   |
|-------------|------------------|-------------------|-------------------|--|-------------|---------------------|------|-----|--------------------------|---|
| Contaminant | Violation<br>Y/N | Date<br>Collected | Level<br>Detected | Range of Detect # of Samples Exceeding MCL/ACL/MRI | s Mea<br>-m | nit<br>Isure<br>ent | MCLG | MCI | Likely S                 | ource of Contamination  |
| Inorganio   | Contam           | inants            |                   |  |             |                     |      |     |                          |   |
| 10. Barium  | N                | 2012              | .04               | No Range   | ppm         | 1                   | 2    |     | discharg                 | ge of drilling wastes;<br>e from metal refineries;<br>of natural deposits |
| 14. Copper  | N                | 2009/11*          | .2                | 0  | ppm         |                     | 1.3  | AL= | 1.3 Corrosio systems     | n of household plumbing<br>; erosion of natural<br>; leaching from wood   |
| Disinfecti  | on By-Pi         | oducts            |                   |  |             |                     |      |     |                          |   |
| 81. HAA5    | N                | 2012 2            | 2 1               | No Range   | ppb         |                     | 0    | 60  | By-Product disinfection. | of drinking water   |
| Chlorine    | N                | 2012 .            | 60 .              | 42 – .90   | mg/l        |                     | 0 MR |     |                          | ve used to control  |

<sup>\*</sup> Most recent sample. No sample required for 2012.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

#### \*\*\*\*\*April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\*

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at 601.576.7518.

The North East Itawamba Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

### 2013 JUN 17 AM 8: 39

STATE OF MISSISSIPPI COUNTY OF ITAWAMBA

| Before the un                                   | ndersigned, a  | Notary Aublic  |                           |
|---|--|--|---------------------------|
| in and for said stat                            | e and county,  | Notary Jublic<br>Charlotte 4404  | <del>\</del>              |
| general manager o                               | f the  | ·  |                           |
|   | ITAWAMBA   | COUNTY TIMES   |                           |
| in the Town of I                                | MUALA Dunk<br>e hereunto attach  | a newspaper county and state, makes oat the Gualit, and is a true copy, was published. |                           |
| Volume //)                                      | , No. <u>24</u>  | , Date June D  | 20/3                      |
|   |  | , Date   |                           |
| Volume  | _, No  | , Date   | _20                       |
| Volume  | _, No  | , Date   | _20                       |
| Volume  | _, No  | , Date   | _ 20                      |
| examined by me, a and that the Itawa            | and I find the pub<br>mba County Tin<br>reulation in said<br>ng the first date v | 1  | duly made,<br>olished and |
|   |  | whole delivered  | 2<br>al Manager           |
| of A CANDRA NE  SANDRA NE  My compaisate 11/28/ | WOW  | before me this the 13th, 201  Danar Pentor   | day                       |
| WAMB  |  |  |                           |



## 2012 Annual Dinking Water Qualk (Regor) North East Itewamba Water Absolption ED - WATER SUPPLY PWSs. 0250018 A 0250017 May 2013 7013 III.N. 17 Att. 20.00

May 2013

In pair's Annual Custor Water Report. The separal part of private states and the supervises are stated point in to provide you with a sale and dependants supply of private with We want you be understand the grown the understands provided on which sealment provides and protect our wheth seatures. We are commissed to providing you with owns also or located to the seature seatures. We are commissed to providing you with owns also considerable providing seatures are confident and the supervisions of the most developed provide developed provided prov

If you have any questions about their report or concerning your writer softly, places contact Doug Thomas at 562 700-4546. We want our valued out customer to be informed about their water users, if you want to team more, please join us at any of our regularly achieving meetings. They are held on the accord Moving in homely of 10 of 10 MR of the Same Concerning Content.

the extent founds in whether it is 0.0 Me if the Salem Community Contract

If is choosing which for constitution in your design were processing to feeting a contract state in the last of the groups were constrainted that was detected during be period of illuminy. The December 317, 2012, in cases retain moderation or work to 0.012, the local retainment is not the processing of the contract state and contract s

in this table you will find many ferms and epiprevisions you might not be farmed with. Yo help you better understand these terms, we've provided the stateming describers:

Aption Level - the concentration of a contentrated which, if exceeded, stoggets breatment or other requirements which a water system most follow

Macrimum Contembrant Level (ACCL) - The "Macrimum Aboved" (ACCL) is the highest level of a contembrant that is allowed in during water. MCLs and set due to be MCLGs as feed to using the best evaluation treatment inchaining.

Minimum Contembers Level Gost (MCLG) - The "Gost (MCLG) is the level of a contembrant in drinking water better which there is no known or expected risk to bealth. MCLGs show for a regigio of safety.

Meximum Residual Environment Level (MRDL) - The highest level of a distribution allowed in strating water. There is converted to distributions in necessary for control microbial conjugates. Mearton Residuel Disinfectant Lanual Goal (MRCR G) — The level of a calcular water detailectant below which there is no known or supposed risk of health. MRCR Gs on not reflect that bonoists of the one of desinfectants as control microbial contaminants.

|                              |                  |                   | TEST RESULTS      |   |            |   |          |       |  |
|------------------------------|------------------|-------------------|-------------------|---|------------|---|----------|-------|--|
| Contemèrant                  | Violation<br>V/N | Date<br>Collected | Leyel<br>Detected | Range of Del<br># of Sam<br>Exceeds<br>NGL/ACL/ | 2466<br>PG | Unit<br>Mossure<br>-/herit              | MCL<br>C | MC).  | Urely Source of Contamination  |
| Inorganic                    | Contan           | elazate           |                   |   |            | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, |          |       |  |
| 10. Barium                   | к                | 2012              | .604              | No Rança  | bow        |   | ,        | 2     | Discharge of driving wastes;<br>discharge from matel refraedes;<br>arcelon of natural deopois                    |
| 14. Copper                   | *                | 2009/11           | .1                | ٥   | ppm        |   | 1.3      | AL-13 | Correlion of household plumbing<br>systems; proston of natural<br>deposits: leaching from wood<br>preservatives. |
| 18. Hitrate (es<br>Microgen) | H                | 2012              | 2                 | No Range  | ppm        |   | 10       | מו    | Runoff from ferbitzer use, teaching from septio tanks, sewings; scoron of central deposits                       |

| PWS ID (    | 1029001   | 7                 |                  | TEST R                                     | esul      | TS                       |     |           |    |  |
|-------------|-----------|-------------------|------------------|--|-----------|--------------------------|-----|-----------|----|--|
| Conteminant | Violetion | Deto<br>Collected | Level<br>Dotecte | Range of Det  # of Samp Excessive MCU/ADLA | Ace<br>XI | Unit<br>Hessure<br>-more | MCI | G W       | 1  | Likely Gourse of Contamination   |
| Inorganic   | Contan    | inants            |                  |  |           |                          |     |           |    |  |
| (G Badym    | H         | 2012              | Æ                | No Raciga                                  |           | ppm                      |     | 2         | 2  | Discharge of dräfing wastes;<br>discharge from melet refreetes;<br>ercelon of natural deposits         |
| 14 Cooper   | H         | 2009/111          | 2                | 0  |           | pgari                    |     | 1.3 AL    | 13 | Consider of neusehold planting systems; erosion of netural deposits; teaching from wood preservatives. |
| Disinfecti  | on By-Pi  | roducts           |                  |  |           |                          | •   |           |    |  |
| SI. HAUS    |           | 2012              |                  | No Renge                                   | D/p(t)    | T                        | 0   | 60        | 8  | r-Product of drinking wests<br>shilection  |
| Chlome      | И         | 2012              | 60               | 42 (4)                                     | mgi       |                          | 0   | MATOL = 4 | W  | ster additive upod to cordici<br>knobes  |

resour covers sampler. No seeple completely for 2012 is As by could help by the bilds, our yellow has for overlations. White proud that your declarge treets or except as if selected and Sight Implements. We have learned through our monitoring and seeting that some consultaneath have been detected however the EPA has determined but your versus IS DMC at finate learned.

The Morth East Standards Wales Association works around the clock to provide top quality restor to every tap. We ask that all our customers belo be neclect or an every defense according to the best of our customers belo